

Cisco 8400 Series Secure Routers

A Part of the Cisco 8000 Series Secure Router Family.

Contents

Overview	2
Models and specifications	4
Software management	8
Ordering information	8
Warranty	8
Sustainability Profile	9
Appendix	12



Overview

Cisco 8400 Series Secure Routers deliver secure networking simplified. Powered by the all-new secure networking processor and the unified Cisco secure networking platform, the Cisco 8400 Series Secure Routers deliver robust, platform-level security, advanced performance engineering through routing and SD-WAN, and onpremises, infrastructure-as-code, or cloud management flexibility that enables businesses to seamlessly scale and grow. Each class of secure routers is designed to deliver risk reduction, enhanced reliability, and future readiness.



Platform highlights

Cisco 8400 Series Secure Routers are optimized for campus environments and deliver robust and scalable performance, centralized management, and advanced threat protection across internet edge networks. These secure routers support seamless integration with cloud and on-premises systems, providing a unified, resilient platform to connect and secure users, devices, and applications at enterprise scale.

Use cases:

- Secure WAN Aggregation for thousands of users/devices
- Secure, reliable connectivity between campus and external networks
- Internet Peering with multiple ISPs for network resiliency



Key features

Hardware accelerated security and networking	 Dedicated secure networking processor for fast cryptography and deep packet inspection Hardware acceleration ensures high throughput with robust threat protection
Efficient design for campus deployments	 Shorter-depth models for greater accessibility in small racks Front-panel accessibility for label trays
Secure connectivity for campuses	 Combines NGFW security, routing, and SD-WAN in one unified platform Simplifies campus infrastructure and management with all-in-one secure access
Secure networking with PQC readiness	 Post-quantum cryptography (PQC) safeguards against future quantum threats Future-proofs campus security with advanced, quantum-resistant encryption
Offload AI and ML tasks for faster response	 Hardware acceleration for AI and ML tasks Optimized for faster AI and ML computation



Models and specifications

The Cisco 8400 Series Secure Routers are 1RU fixed form factor devices. There are two models: Cisco C8455-G2 and 8475-G2. Cisco C8455-G2 provides 8×1 GE, 2×10 GE, and 2×25 GE ports, whereas the Cisco 8475-G2 provides 8×1 GE, 8×10 GE, and 4×25 GE ports.




Figure 1. Front view of a Cisco C8455-G2 Secure Router

Table 1. Table 1. Front panel of Cisco C8455-G2 Secure Router

Label	Description
1	USB 3.0 Type C Storage
2	Management RJ45 Port
3	Console RJ45 / Micro-USB Port
4	8 x 1G SFP Ports
5	2 x 1/10G SFP+ Ports
6	2 x 10/25G SFP28 Ports
7	M.2 Storage Slot
8	Label Tray
9	RFID






Figure 2. Front view of a Cisco C8475-G2 Secure Router

Table 2. Front panel of Cisco C8475-G2 Secure Router

Label	Description
1	USB 3.0 Type C Storage
2	Management RJ45 Port
3	Console RJ45 / Micro-USB Port
4	8 x 1G SFP Ports
5	8 x 1/10G SFP+ Ports
6	4 x 10/25G SFP28 Ports
7	Label Tray
8	M.2 Storage Slot
9	RFID



Table 3. Technical specifications

lable 3. Technical specifications		
	C8455-G2	C8475-G2
Interfaces and Slots		
WAN Ports	8x 1 GE (SFP) 2x 1/10 GE (SFP+) 2x 10/25 GE (SFP28)	8x 1 GE (SFP) 8x 1/10 GE (SFP+) 4x 10/25 GE (SFP28)
Management Port	1x RJ45 OOB Management 1x RJ45 / 1x Micro-USB	1x RJ45 OOB Management 1x RJ45 / 1x Micro-USB
Memory and Storage		
DRAM	32 GB (default)	32 GB (default) 64 GB
Storage	64 GB (default) 600 GB 2 TB	64 GB (default) 600 GB 2 TB
Power Supply	250W AC 400W DC 400W HVDC	400W AC 400W DC 400W HVDC
Throughput		
Forwarding (512B)	Up to 67 Gbps	Up to 91 Gbps
IPsec (512B)	Up to 31 Gbps	Up to 45 Gbps
SD-WAN* (512B)	Up to 15.5 Gbps	Up to 21.7 Gbps
Security (EMIX)	Up to 9.5 Gbps	Up to 10.9 Gbps
Scale		
IPv4/IPv6 routes	5.8M	5.8M
IPsec tunnels	3500	3500
IPv4 ACLs	4K	4K



	C8455-G2	C8475-G2
IPv4 ACEs	144K	144K
NAT Sessions	4M	4M
VRFs	8K	8K

^{*}SD-WAN feature combination: IPsec + QoS + Deep Packet Inspection + Flexible NetFlow

Table 4. Physical specifications

	C8455-G2	C8475-G2
Dimensions (H x W x D)	1.73 in x 17.50 in x 12 in	1.73 in x 17.50 in x 16.25 in
Rack Units (RU)	1 RU	1 RU
Chassis weight with 2x AC power supplies and fan tray	12.5 lbs	15.5 lbs
Operating temperature	32° to 104°F	32° to 104°F
Storage temperature	-40° to 150°F	-40° to 150°F
Relative humidity (ambient, non-condensing)	Operating: 10 to 85%	Operating: 10 to 85% Storage: 5 to 95%
Storage: 5 to 95%	Operating: 10 to 85%	GR-1089 and GR-63
Storage: 5 to 95%	-500 to 10,000 feet	-500 to 10,000 feet
NEBS criteria levels	GR-1089 and GR-63	GR-1089 and GR-63
Altitude	-500 to 10,000 feet	-500 to 10,000 feet



Software management

The minimum Cisco IOS XE release versions for the Cisco 8400 Series Secure Routers are listed below:

	Device OS	Cisco Catalyst SD-WAN Manager
Cisco C8455-G2	Starting IOS XE 17.15.3	Starting SD-WAN Release 20.15.3
Cisco C8475-G2	Starting IOS XE 17.15.3	Starting SD-WAN Release 20.15.3

Ordering information

For a detailed overview of the ordering process, please visit the Cisco 8000 Series Secure Routers Ordering Guide.

Warranty

Cisco 8400 Series Secure Routers come standard with a Cisco Limited 2-Year Return To Factory Hardware Warranty. For more information, refer to:

https://www.cisco.com/c/en/us/products/warranties/warr-2yr-ltd-hw.html



Sustainability profile

Cisco is embedding sustainability into the product lifecycle—from manufacturing to end of use. Designed with consideration for Cisco's <u>Circular Design Principles</u>, our products feature both individual and portfolio-wide programs and innovations, including those that address efficient architecture design, power consumption, energy management, packaging sustainability, and takeback. These elements are pivotal in reducing operational costs and advancing net-zero greenhouse gas (GHG) emissions targets, and other sustainability-related ambitions.

Information about Cisco's environmental, social, and governance (ESG) initiatives and performance is available in Cisco's Purpose Reporting Hub.

Table 5. Sustainability references

Sustainability topi	С	Description
Energy management	Energy Management dashboard	The Energy Management dashboard on the Catalyst SD-WAN Manager offers comprehensive energy management capabilities, allowing users to monitor energy usage, energy mix, costs, and greenhouse gas emissions in real time. Energy Management
	Environmental monitoring configuration	The environmental monitoring chapter in the System Management Configuration Guide provides guidelines for configuring monitoring of environmental conditions of chassis components.
	ENERGY STAR®	Cisco 8400 Series Secure Routers are ENERGY STAR certified and meet energy-efficiency specifications set by the U.S. Environmental Protection Agency (EPA), helping customers save energy and money while helping to protect the environment, improve air quality, and protect public health.
	80 PLUS Platinum/ Titanium Certified Power Supply Units	Cisco 8400 Series Secure Routers support high-efficiency power supply units. 80 PLUS Platinum Certified PSUs offer up to 94% efficiency at 50% load and titanium PSUs reaching up to 96% efficiency at 50% load at 230V input.



10

Sustainability topi	ic	Description
Materials, modularity, and reuse	Hardware standardization and modularity	Cisco 8400 Series Secure Routers use standard subassemblies and common components across products to streamline production and enhance repairability and upgradability.
	Simplified architecture	Cisco 8400 Series Secure Routers offer a simplified architecture by consolidating multiple discreet ASIC/NPU components into a central system-on-chip (SoC) architecture, providing multiple discrete functions in a more integrated design.
	Powder-coat finish	Cisco 8400 Series Secure Routers use a powder-coating finish instead of oil-based wet paint. In comparison, a powder-coating finish reduces the amount of harmful solvents used and volatile organic compounds (VOCs) emitted during the painting process.
	Bezel-free design	Cisco 8400 Series Secure Routers use a bezel-free design reducing plastic usage.
	Cisco Takeback and Reuse	This program allows customers to return used equipment for responsible recycling and reuse. Takeback and Reuse Program
	Cisco Refresh	This program offers certified remanufactured products, providing cost-effective alternatives to new equipment. Cisco Refresh
Packaging	Foam reduction	Cisco 8000 Series Secure Routers are packaged with corrugated and fiber flute materials, containing minimum 25% post-consumer recycled content. Circular economy and packaging sustainability
	Accessory opt-in	Accessory opt-in allows customers to select whether to include the accessory kit. Not including the kit results in using fewer materials and reducing waste. The default is now to not include the kit unless it is required.



Sustainability topi	ic	Description
Regulatory compliance	Environmental compliance	Information regarding Cisco compliance with applicable environmental laws and regulations is available at the Environmental Compliance section of Cisco's Purpose Reporting Hub. Environmental compliance
	Product Approvals Status (PAS)	Information regarding the certification status for given Cisco products in certain countries is available at Cisco's self-service PAS database. PAS database
	Product-related materials compliance	This page addresses Cisco's position regarding relevant product-related materials legislation, such as Restriction of Hazardous Substances (RoHS); Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH).
		RoHS and REACH
	Waste Electrical and Electronic Equipment (WEEE), battery, and packaging compliance	This page discusses Cisco's position regarding relevant product-related legislation on recycling, battery, and packaging. WEEE, battery and packaging
	Cisco packaging materials and codes	This table provides packaging material identification for packaging used for Cisco products. Packaging materials and codes
General	Sustainability inquiries	For ESG or CSR inquiries, please contact your Cisco account team.
	Cisco policies, positions, and guides	Links to select Cisco's Environmental Sustainability policies, positions, and guides are provided in the "Policies, positions, and guides" section of Cisco's Purpose Reporting Hub. Policies, positions, and guides
	Cisco Green Pay	This page provides an overview of Cisco Green Pay, a financing program aimed at promoting more sustainable technology adoption by providing flexible payment options. Green Pay



12

Appendix

Safety and compliance

Chassis

The section below lists the safety and compliance information for the Cisco 8400 Series Secure Routers chassis.

Safety and certifications	EMC and EMI compliance
 UL 60950-1 CAN/CSA-C22.2 No. 60950-1 EN 60950-1 IEC 60950-1 AS/NZS 60950-1 GB4943 	 47 CFR Part 15 Class A ICES 003 Class A AS/NZS CISPR 32 Class A CISPR 22/CISPR 32 Class A EN55022/EN55032 Class A VCCI Class A KN32 Class A IEC/EN 61000-3-2: Power Line Harmonics IEC/EN 61000-3-3: Voltage Fluctuations and Flicker

Document history

New or revised topic	Described in	Date
Document created	Datasheet	September 10, 2025



Next steps

Cisco Capital	Cisco Capital flexible payment solutions offer choices so you get the tech you need and the business outcomes you want.
Explore Cisco Capital	https://www.cisco.com/site/us/en/buy/payment-solutions/index.html
Find a partner	Solve your business challenges by finding a Cisco partner authorized to design, sell, and support custom solutions.
Meet our partners	https://www.cisco.com/site/us/en/partners/connect-with-a-partner/index.html
Community	Cisco Community is an active and collaborative place to learn more about our products and ask questions of peers and Cisco experts.
Join the community	https://community.cisco.com/
Cisco Services	Transform with more ease and less risk while making sure your technology delivers tangible business value.
Browse Cisco Services	https://www.cisco.com/site/us/en/services/index.html

^{© 2025} Cisco and/or its affiliates. All rights reserved. Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)